



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Inspection at Nogales, Ariz.

Acting Assistant Surgeon Gustetter reports as follows:

Week ended December 24, 1904: Passengers inspected, 177; immigrants inspected, 39; deported, 4.

Statistical reports of States and cities of the United States, yearly and monthly.

CALIFORNIA—*Oakland*.—Month of November, 1904. Estimated population, 83,000. Total number of deaths, 88, including enteric fever 2, and 7 from tuberculosis.

The monthly report of the State board of health for the month of November, 1904, says:

Twenty-four reports, representing a population of 886,350, show a mortality of 1,120, or a death rate of 1.26 per thousand. In the public institutions, with a population of 8,740, there were 30 deaths—a rate of 3.43 per thousand.

Among the causes of death were: Tuberculosis, 167; heart disease, 137; pneumonia, 80; stomach, 76; cancer, 64; typhoid fever, 42; diarrhea and dysentery, 38; bronchitis, 13; alcoholism, 11; cerebro-spinal fever, 10; whooping cough, 9; cholera infantum, 9; diphtheria, 3; congestion of the lungs, 2; influenza, 2; erysipelas, 1; scarlatina, 1.

MARYLAND—*Baltimore*. Month of November, 1904. Estimated population, 541,000—white, 457,000; colored, 84,000. Total number of deaths, 793—white, 611; colored, 182—including diphtheria 13, enteric fever 15, scarlet fever 8, and 105 from tuberculosis.

MASSACHUSETTS—*Worcester*. Month of October, 1904. Estimated population, 127,286. Total number of deaths, 171, including scarlet fever 2 and 18 from tuberculosis.

Month of November, 1904. Total number of deaths 168, including enteric fever 2 and 17 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended December 24, 1904, from 63 observers, show that smallpox, dysentery, and inflammation of brain were more than usually prevalent, and diarrhea, pneumonia, erysipelas, pleuritis, measles, remittent fever, whooping cough, puerperal fever, cholera morbus, meningitis, and cholera infantum were less than usually prevalent.

Meningitis was reported present at 3, whooping cough at 10, measles at 22, pneumonia at 33, diphtheria at 45, enteric fever at 49, smallpox at 52, scarlet fever at 63, and phthisis pulmonalis at 233 places.

NEW JERSEY—*Paterson*.—Month of November, 1904. Estimated population, 116,593. Total number of deaths, 152, including diphtheria 5, enteric fever 1, and 23 from tuberculosis.